-12 PAL Field Grown

BASED ON UNIVERSITY OF FLORIDA/ IFAS RECOMMENDATION

TOTAL NITROGEN (N)		8.00%*
	Other Water Soluble Nitrogen (and/or Urea Nitrogen)	
		2.00%
AVAILABLE PHOSPHATE (P_2O_5)		12.00%
TOTAL MAGNESIUM (Mg)		4.00%
	Water Soluble Magnesium (Mg)	
TOTAL SULFUR	(S)	12.00%
7.00%	Combined Sulfur (S)	
	Free Sulfur (S)	
BORON (B)	R (Cu)	0.10%
TOTAL COPPE	R (Cu)	0.05%
0.05%	Water Soluble Copper (Cu)	
TOTAL IRON (F	Fe)	0.10%
0.10%	Chelated Iron (Fe)	
TOTAL MANGANESE (Mn)		2.00%
2.00%	Water Soluble Manganese (Mn)	
TOTAL ZINC (Zn)		0.15%
0.15%	Water Soluble Zinc (Zn)	

INGREDIENTS: Ammoniated Phosphate, Polymer Coated Sulfur Coated Urea, Polymer Coated Sulfur Coated Potash, Magnesium Sulfate, Sodium Borate, Copper Sulfate, Iron Chelate EDTA, Manganese Sulfate, Zinc Sulfate.

> *5.60% SLOW RELEASE NITROGEN FROM: Polymer Coated Sulfur Coated Urea

*8.40% SLOW RELEASE POTASH FROM: Polymer Coated Sulfur Coated Potash

Contains Granular Kieserite, a natural form of slowly available Magnesium Sulfate.

RECOMMENDED APPLICATION RATES:

For Landscape Maintenance: Apply up to 15 pounds of 8-2-12 Palm Field fertilizer per 1,000 square feet every three months. (4.8 pounds of Nitrogen per 1,000 square feet per year).

For Field Production Nurseries: Apply twice the above rate.

MANUFACTURED BY:

GRACO FERTILIZER COMPANY

8 ALTON HALL ROAD ~ CAIRO, GA 39828 800-343-5620 229-377-1602 graco@windstream.net

www.gracofertilizercompany.com

CAUTION: For your safety it is recommended that you keep this product (and all fertilizers) out of the reach of children. This product may be harmful if swallowed and may cause skin and eye irritation. Avoid breathing of dust and contact with skin and eyes. Wash with soap and water after handling. If in eyes, flood with water 15 minutes and repeat if necessary. This product may stain sidewalks and drives. Sweep off any product which may have drifted onto these areas.

NET WT. 50 LB. (22.68 kg)