

VEGETATION MANAGEMENT - NON-CROP Areas

Product Information

Apply Gemini 3.7 SC to soil surfaces for preemergence control of many grass and broadleaf weeds in non-crop areas including ornamentals (does not include container or field grown ornamentals) and established perennials on or surrounding non-crop areas as directed in **Table 15**. The best weed control occurs when the product is activated in the soil by 0.5 inches of irrigation or rainfall before weed seeds germinate and within 14 days after application.

Table 15. Amount of Gemini 3.7 SC to Apply to Non-Crop Areas for Control of Weeds Listed in Table 2.

| Site | Application Rate | Timing | Comments/Instructions |
|---|--|-----------------------------|---|
| Non-crop areas, including ornamentals, on or surrounding managed rights-of-way for transportation systems and utilities (including roadways, roadsides, railways, and equipment yards); facilities including substations, tank farms, pumping stations, parking and storage areas, and non-grazed fence rows. | 38 – 87 fl. oz./acre or 0.9- 2.0 fl. oz./1,000 sq. ft. | Before weed seeds germinate | Use higher rate range for longer control. More than one application per year is permitted, but do not apply more than 87 fl. oz./acre (2.5 lbs. active/acre) per year. Sequential applications must be separated by a minimum of 60 days. |

Tank Mixtures for Use in Non-Crop Areas

Tank mix Gemini 3.7 SC with other registered herbicides listed on this label to provide a broader spectrum of weed control or to control emerged weeds. Tank mixes with Gemini 3.7 SC are for use only in states where the tank-mix partner(s), application site and intended use pattern are registered.

Follow the label directions of the tank-mix partner(s) for application rates, timing, weeds controlled, listed ornamentals, and specific use precautions and/or restrictions. Before combining a tank-mix partner in the spray tank, test for compatibility as described on this label. See the **Compatibility Testing** section of this label.

For non-crop areas, tank mix Gemini 3.7 SC with Glyphogan® (or other glyphosate-based products), Parazone 3SL® (or other paraquat-based products), Diuron 4L (or other diuron-based products), Oryzalin 4AS (or other oryzalin based products), Reward®, Predict®, Princep®, Vanquish®, Finale®, Garlon®, Krovar® I and II, Oust®, Arsenal®, Spike® and Telar®.

